



Our G-Force Alarms include compact water resistant components

G-Force Alarm Module features adjustable electronic motion sensor enclosed in watertight case that measures 2" x 2 1/2" x 3/4"



Remote Transmitter slightly larger than a quarter is used to arm, disarm and adjust the alarm system



125db Siren sounds when alarm is triggered (2 1/4 x 1 3/4 inches)



Accessories for your Armed Guard Alarm System

Remote Pager

Add long range paging capability to your Armed Guard Security System. Powerful 4 watt output with audible and silent (vibration) modes.

The transmitter connects directly into the alarm wiring harness. Carry the receiver in your pocket, or clipped to your belt. The receiver vibrates or chirps if the alarm system is triggered on your bike. The pager has up to a mile range. The receiving distance is shortened by obstacles in the transmission path. Great for road trips, or when you are in a restaurant or hotel room.



Part # AG-PAGER

Perimeter Sensor

Add-on electronic perimeter sensor for G-Force Alarms. Adjustable range from 1 to 10 feet. The perimeter sensor causes the siren to chirp as a warning to an intruder in the perimeter zone. If the intruder fails to leave the zone, the alarm is triggered. Using the remote transmitter You can arm your security system with, or without, the perimeter sensor. (Cannot add to SPORT Alarm)



Part # AG-RADAR

Accessories for your Armed Guard Alarm System

129db High Output siren for G-FORCE alarms. Dimensions approximately 2 1/4" x 2 1/2"

Part # AG-SIRENHO



125db Battery Backup Siren for G-FORCE alarms. Dimensions are approximately 3" x 3"

Part # AG-SIRENBB



Compact Durable Stainless Steel Siren for G-Force alarms. Dimensions are approximately 1 3/4 inches wide by 1 3/4 inches deep

Part # AG-SIRENOEM



Add-on or replacement Code Hopping remote transmitter for alarm systems

Part # AG-TRX-GF

Part # AG-TRX-SPT

